




## BEARING-SINGAPORE (PTE)LTD.



65 mm x 90 mm x 25 mm INA NA4913 needle roller bearings

Bearing No. NA4913

NA4913 Bearing 2D drawings and 3D CAD models

Size	65x90x25 mm
Bore Diameter	65 mm
Outer Diameter	90 mm
Width	25 mm
d	65 mm
D	90 mm
B	25 mm
F	72 mm
$r_{\min}$	1 mm
s	1,5 mm / Axial displacement
m	456 g / Weight
$C_r$	69000 N / Dynamic load rating (radial)
$C_{Or}$	112000 N / Static load rating (radial)
$C_{ur}$	19500 N / Fatigue limit load, radial
$n_G$	6300 1/min / Limiting speed
$n_B$	3500 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.46



## BEARING-SINGAPORE (PTE)LTD.

EAN	4012802222876
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	65MM Bore; 90MM Outside Diameter; 25MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Sepa
Other Features	Plain Inner Ring   2 Rib Outer Ring   Precision Bearing   Steel Cage   Ground Raceway with Rib   Oil Hole
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Manufacturer Item Number	NA4913



## BEARING-SINGAPORE (PTE)LTD.

Weight / LBS	1.005
Width	0.984 Inch   25 Millimeter
Outside Diameter	3.543 Inch   90 Millimeter
Bore	2.559 Inch   65 Millimeter